



TECHNICAL SPECIFICATION

Requirements for SIT and SUT Terminals and Ancillary Equipment

TS RE 020, Version 1.0

Document Date: July 3, 2019

Telecommunications Regulatory Authority (TDRA) P O Box 26662, Abu Dhabi, United Arab Emirates (UAE) <u>www.tdra.gov.ae</u>





VERSION CONTROL

Version:	Issue Date:	Reason for Issuance:
1.0	July 3, 2019	Version 1

TABLE OF CONTENTS

1 (GENERAL REQUIREMENTS	3
2 3	SCOPE	3
3 1	TECHNICAL REQUIREMENTS	3
3.1 3.2 3.3 3.4 3.5	ELECTROMAGNETIC COMPATIBILITY HEALTH AND SAFETY ADDITIONAL ESSENTIAL REQUIREMENTS	4 4 4





1 General requirements

Technical specification has been prepared and approved by the Telecommunications Regulatory Authority (TDRA) based on the Telecommunication apparatus Type Approval Regime.

Several technical specifications may apply to the equipment. If equipment within the scope of this technical specification also incorporates functions that are covered by another technical specification, the relevant technical specification is applied to each function separately. The influence of one function on the other is taken into account.

2 Scope

This technical specification applies to SIT and SUT Terminals and Ancillary Equipment.

This technical specification defines minimum technical requirements for health and safety, electromagnetic compatibility, efficient use of radio spectrum and additional essential requirements based on the Telecommunication apparatus Type Approval Regime.

Unless the context requires otherwise, the expressions and wordings appearing in the Telecommunication apparatus Type Approval Regime shall have the same meaning described thereto.

3 Technical Requirements

3.1 Efficient use of radio spectrum

The equipment shall comply with allocated frequency bands given in the National Frequency Allocation Table (NFAT). Certain frequency bands may be assigned for use by Fixed Earth Stations (FES). Frequencies will be assigned on a case-by-case basis.

The equipment shall meet the requirements of following standard(s):

EN 301 360 Satellite Earth stations and Systems (SES); Harmonised EN for Satellite Interactive Terminal (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 27.5 – 29.5 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE





directive.

EN 301 459 Satellite Earth stations and Systems (SES); Harmonised EN for Satellite Interactive Terminal (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 29.5 – 30.0 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE directive.

3.2 Electromagnetic compatibility

The equipment shall meet the requirements of following standard(s):

- EN 301 489-1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements.
- EN 301 489-12 Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 12: Specific conditions for Very Small Aperture Terminal (VSAT), Satellite Interactive Earth Stations operated in the frequency ranges between 4GHz and 30GHz in the Fixed Satellite Service (FSS).

3.3 Health and safety

The equipment shall meet the requirements of Technical specification TS HS 001.

3.4 Additional essential requirements

A licence must be obtained before equipment of this type can be used.

3.5 Validity of standards

If no issue or revision number is quoted along with the title of a standard, the valid edition should be used. The valid of the standard can be checked on:

- For EN standards:





http://ec.europa.eu/growth/single-market/european-standards/harmonised-

standards/rtte/index_en.htm;